

**To:** Ostrander, David[Ostrander.David@epa.gov]  
**From:** Atencio, Kathie  
**Sent:** Tue 7/29/2014 1:29:44 PM  
**Subject:** Re: Pollution Report #2 Red River Supply Warehouse Fire

I know, but maybe they should've been reporting. If we get a hold of their MSDS sheets and find out storage, it will help enforcement know whether or not they should have been reporting but weren't.

---

From: Ostrander, David  
Sent: Tuesday, July 29, 2014 6:24:40 AM  
To: Atencio, Kathie  
Subject: Re: Pollution Report #2 Red River Supply Warehouse Fire

We had a long list of msds sheets. Contact paul or kerry to get more info. I looked in TERA viewer and there was no tier 2 report for this facility.

---

From: Atencio, Kathie  
Sent: Monday, July 28, 2014 5:11:56 PM  
To: Ostrander, David  
Subject: Fw: Pollution Report #2 Red River Supply Warehouse Fire

Didn't you say we had a MSDS sheet from them? Can we share with David?

---

From: Cobb, David  
Sent: Monday, July 28, 2014 4:59:10 PM  
To: Atencio, Kathie  
Subject: FW: Pollution Report #2 Red River Supply Warehouse Fire

Hi Kathie,  
We are planning on evaluating this facility under EPCRA 302, 302, 312, and 313. If you have any insight to any Tier II info they may have submitted would be appreciated. I haven't reached out to the state or locals at this point.  
Thank you,

David Cobb  
U.S. EPA Region 8  
Mail Code: 8ENF-AT  
1595 Wynkoop Street  
Denver, CO 80202  
(303) 312-6592

-----Original Message-----

From: Guy, Kerry  
Sent: Monday, July 28, 2014 4:44 PM  
To: R8 OSC AM-POLREP Internal; R8 OSC AM-POLREP Federal; R8 OSC AM-POLREP North Dakota  
Subject: FW: Pollution Report #2 Red River Supply Warehouse Fire

-----Original Message-----

From: Peronard.Paul@epa.gov [mailto:Peronard.Paul@epa.gov]  
Sent: Monday, July 28, 2014 4:15 PM  
To: Guy, Kerry; john.lucotch@westonsolutions.com; Peronard, Paul; jmayer@nd.gov; dglatt@nd.gov; karoberts@nd.gov; toclair@nd.gov; mikeh@co.williams.nd.us; bespe@nd.gov; bogorman@nd.gov;

jasonc@ci.williston.nd.us; jessica\_n\_johnson@fws.gov; jcallahan@cteh.com  
Subject: Pollution Report #2 Red River Supply Warehouse Fire

Attached is a Pollution Report (POLREP) regarding:

USEPA Region VIII  
Red River Supply Warehouse Fire  
1202 East Broadway, Williston, ND

To view this POLREP, please open the attachment.  
Lotus Notes Users, please Launch the attachment.

For additional information regarding this site, please visit the website by clicking on this link:  
<http://www.epaosc.org/redriversupply>